



# SLIDETITE™ 2.0

FOUR-FOLD DOOR – WHEN **EVERY SECOND** COUNTS

**Ideal for:**

- Fire Stations
- Emergency Medical Services (EMS)
- Light Rail Vehicles (LRV)
- Transit Facilities
- Sally Port Doors
- Security Gates
- Parking Garage Gates
- ...And many more applications!

Since Raynor first opened for business in 1944, we have been a family owned and operated garage door manufacturer, building the highest quality garage doors and openers available. We are building on our long history and expertise in the garage door industry by bringing you the Slidetite™ 2.0 series of four-fold doors. Introduced in the early 1950's, four-fold doors have made a comeback in emergency service and mass transit applications. We have re-engineered Slidetite 2.0 with today's technology, enabling it to meet the needs of many types of facilities.

## Benefits of Choosing a **Slidetite™ 2.0** Four-Fold Door

### **Speed**

Slidetite™ 2.0 Series of doors open and close twice as fast as conventional sectional or rolling doors!

### **Durability**

Slidetite™ 2.0 doors are highly engineered and designed to operate for well over 1 million cycles.

### **Performance**

The attention to detail in our sections, insulation, glass and hardware come together in a door solution that is second to none. An ability to disengage and reengage from floor level, at any point, is a critical advantage available only on Slidetite™ 2.0 series doors.

### **Safety**

Slidetite™ 2.0 has been designed to minimize pinch hazards, providing you not only the highest performing four-fold solution, but a safe one as well.

### **Fastest Installation**

With pre-installed\* glass and hinges, Slidetite™ 2.0 series doors are without question, the fastest and easiest four-fold doors to install anywhere today. Simply put, nothing else comes close!

\*Does not apply to 400H Series Hurricane Rated Doors.

A photograph of a transit station platform. In the center, a set of dark grey Slidetite 2.0 158 Series doors is partially open, revealing a red and white train inside. The doors are set in a concrete frame. To the right of the doors, a yellow diamond-shaped warning sign is visible. The background shows the station's steel and glass structure.

# Slidetite™ 2.0

## 158 Series

1<sup>5</sup>/<sub>8</sub>" Thick Sections

Low Wind Load  
Max Width: 18'4"  
Max Height: 14'9"

Transit Application Shown

A photograph of a fire station. A set of bright red Slidetite 2.0 238 Series doors is shown in a closed position. The doors are set in a concrete frame. Through the glass panels, several red fire trucks are visible inside the station. The scene is brightly lit, suggesting daytime.

# Slidetite™ 2.0

## 238 Series

2<sup>3</sup>/<sub>8</sub>" Thick Sections

Wind Load: Up to 50 psf  
Max Width: 19'8"  
Max Height: 22'6"

*FBC, HVHZ, TDI certifications pending*

Fire Station Application Shown



# Slidetite™ 2.0

## 400 Series

4" Thick Sections

Max Width: 20'

Max Height: 33'4"

## 400H Series

HURRICANE RATED

4" Thick Sections

Max Width: 16'

Max Height: 16'

*FBC, HVHZ, TDI certifications pending*


Parking Garage Application Shown

## MODEL CHART

Model #	Section Thickness	Operation	Mount	Opening	
AFFD158	1 5/8"	Electric	Interior	Max Width 18'4"	Max Height 14'9"
AFFD158E	1 5/8"	Electric	Exterior		
AFFD158H	1 5/8"	Hydro-Pneumatic	Interior		
MFFD158	1 5/8"	Manual	Interior		
MFFD158E	1 5/8"	Manual	Exterior		
AFFD238	2 3/8"	Electric	Interior		
AFFD238E	2 3/8"	Electric	Exterior		
AFFD238H	2 3/8"	Hydro-Pneumatic	Interior		
MFFD238	2 3/8"	Manual	Interior		
MFFD238E	2 3/8"	Manual	Exterior		
AFFD400	4"	Electric	Interior	Max Width 20'	<b>Hurricane</b> Max Width 16'
AFFD400E	4"	Electric	Exterior		
AFFD400H	4"	Hydro-Pneumatic	Interior		

# Features Available on all **Slidetite™ 2.0** Series Doors

## **MOUNTING**



### **Exterior**

When space is a problem, Exterior Mount is the solution. Perfect for the Retro-Fit Market!



### **Interior**

Interior Mounted Slidetite™ 2.0 doors are substantially less invasive than traditional sectional doors.

## **PERIMETER DOOR SEALING SYSTEM**



### **WeatherLock™ Seal System**

Thermally efficient and unique, this complete door sealing system is designed for the harshest climates!

The Arctic Grade extruded neoprene perimeter door seal is engineered to seal out dirt, bugs, wind, snow and water, and match up beautifully to most door styles and colors. The WeatherLock system is also low-maintenance and one-time installation!

## **A UNIVERSE OF OPTIONS**



### **Colors**

- RAL
- PPG
- Sherwin-Williams®
- Spectro Match
- Special Custom to Facade



### **Windows**

Various glass types to meet all your needs. Fully customizable.



### **Controls/Activation Devices**

Safety Edges – Comes Standard  
Photo Eyes – Comes Standard  
Radio Controls, Loop Detectors, and more!

## Quality Commercial Products

Raynor also offers a full line of sectional, rolling, high performance and traffic doors as well as security grilles. See your Raynor Dealer or visit [www.raynor.com](http://www.raynor.com) for more information.



TM300 - Commercial Sectional



RapidCoil RC100 - High Performance



DuraShutter - Rolling Doors and Shutters

# Professional Installation and Service

## Depend on your Raynor Dealer

When you select Raynor, you're not just getting a superior garage door - you're also getting professional garage door installation and service expertise.



Every Raynor garage door is installed by a trained Raynor professional. And that means added benefits for you. First, you won't have to deal with it yourself. And because it's done right the first time, your door will deliver performance and reliability from the day it's installed. Your technician will check your door for everything from safety to performance and appearance. Trust your Raynor garage door to someone who knows it better than anyone else, your professional Raynor Dealer.



P.O. Box 448, 1101 East River Rd.  
Dixon, IL 61021-0448  
1-800-4-RAYNOR (472-9667)

Exclusively Distributed by:

